

Orbitone® T

WOODY AMBERGRIS FLORAL VIOLET







CHEMICAL STRUCTURE

l-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (and isomers)



SYNONYM

_

APPLICATION INFORMATION

Widely used in all types of fragrances like fresh-fruity, floral to woody amber. Gives sophisticated body and velvety richness.

OCCURRENCE IN NATURE

Not found in nature.

STABILITY

Fine Fragrance	-	GOOD
Fabric Softener	рН 3	GOOD
Antiperspirants	pH 3.5	GOOD
Toiletry Applications	рН 6	GOOD
Liquid Detergent	рН 9	GOOD
Soaps	pH 10	GOOD
Powder Detergent	pH 11	GOOD
Bleach	pH 14	POOR

SUBSTANTIVITY

Skin	GOOD
Dry Fabric	GOOD
Wet Fabric	GOOD
Hair	GOOD

TENACITY ON BLOTTER

>24 00 00 HOURS DAYS WEEKS

BLOOM DIFFUSIVITY

TYPICAL USE LEVEL

DIFFUSIVE Up to 25%

TECHNICAL DATA

148°C
90% min. sum isomers
54464-57-2, 68155-66-8, 68155-67-9
-
5.18

Optical Rotation	-	
Appearance	Colorless to pale yellow liquid	
Molecular Weight	234.38	
Vapor Pressure	0.147 Pa at 25°C	

